L Number	Hits	Search Text	DB	Time stamp
3	47	scrub$4 same detector and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:13
4	2	(scrub$4 same detector and offset) and charge adj retention adj effect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:01
5	12	x-ray and charge adj retention adj effect	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:01
6	64	changing same gain same detector and x-ray	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:16
8	1	(changing same gain same detector and x-ray) and dual same imaging	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:17
9	30	(changing same gain same detector and x-ray) and low same high	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:32
10	19	first same exposure same second and changing same gain same detector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:36
11	356	first same exposure same second and gain same detector	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:44
12	91	first same exposure same second and gain same detector and x-ray	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:36
13	19	(first same exposure same second and gain same detector and x-ray) and dosage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:37
14	1023944	first same exposure same second interval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:45
15	2059	first same exposure same second same interval	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 14:45

16		195	first same exposure same second same interval and x-ray	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 15:13